

个人简历



栗占国，教授，主任医师，博士生导师，北京大学人民医院临床免疫中心主任，风湿免疫研究所所长，北京大学风湿免疫学系主任，北京大学临床免疫中心主任，国家杰出青年基金获得者，973首席科学家，CMB杰出教授及吴杨奖获得者。

目前为中国免疫学会临床免疫分会主任委员，中华医学会风湿病学分会名誉主委，国际风湿病联盟（ILAR）和亚太风湿病联盟（APLAR）前主席，《Clinical Rheumatology》和《Int J Rheumatic Diseases》副主编，《中华风湿病学杂志》总编，《中华临床免疫与风湿病》总编，《北京大学学报》（医学版）副主编，《医学参考报（风湿免疫专刊）》主编，《Ann Rheum Dis》和《Nat Rev Rheum》等杂志编委。

长期从事风湿免疫病临床工作，主要研究方向为类风湿关节炎、系统性红斑狼、干燥综合征等自身免疫病的发病机制及免疫治疗。发表论文近 600 篇，其中 SCI 论文 200 余篇，包括在《Nature Medicine》、《Immunity》、《Nat Genet》、《Cell Host Microbe》、《Ann Rheum Dis》、《Nat Rev Rheum》等杂志（IF 8.96-31.62）发表论文 30 余篇。主编（译）和参编了《类风湿关节炎》、《风湿免疫学高级教程》、《凯利风湿病学》等风湿病学专著 30 余部。

代表性论文：

1. Jing He, Xia Zhang, Yunbo Wei, Xiaolin Sun, Yaping Chen, Yuebo Jin, Xin Hu, RulinJia, ChuanhuiXu, ZhaohuaHou, Lei Zhu, JinhongFeng, Yuan An, Yuan Jia, Chun Li, Xu Liu, Hua Ye, LiminRen, Ru Li, Haihong Yao, Yuhui Li, Shi Chen, Xuewu Zhang, Yin Su,

- JianpingGuo, Nan Shen, Eric F. Morand, Di Yu and Zhanguo Li. Low-dose interleukin-2 treatment modulates CD4+ T cell subsets selectively in patients with systemic lupus erythematosus. *Nature Medicine*. 2016;22(9):991-3
- 2. Liu Y, Mu R, Gao YP, Dong J, Zhu L, Ma Y, Li YH, Zhang HQ, Han D, Zhang Y, McInnes IB, Zhang J, Shen B, Yang G, Li ZG. A Cytomegalovirus Peptide-Specific Antibody Alters Natural Killer Cell Homeostasis and Is Shared in Several Autoimmune Diseases. *Cell Host Microbe*. 2016;19(3):400-8.
 - 3. Zhan-guo Li. A new look at rheumatology in China——opportunities and challenges. *Nat Rev Rheum*, 2015;11 (5):313-317
 - 4. He J, Tsai LM, Leong YA, Hu X, Ma CS, Chevalier N, Sun X, Vandenberg K, Rockman S, Ding Y, Zhu L, Wei W, Wang C, Karnowski A, Belz GT, Ghali JR, Cook MC, Riminton DS, Veillette A, Schwartzberg PL, Mackay F, Brink R, Tangye SG, Vinuesa CG, Mackay CR, Li Z, Yu D. Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. *Immunity*, 2013; 39(4):770-81.
 - 5. Liling Xu, Mengdie Xia, Jun Guo, Xiaolin Sun, Hua Li, Chenguang Xu, Xiaomei Gu, Haowen Zhang, Junyang Yi, Yan Fang, Hengyi Xie, Jing Wang, Zhixun Shen, Boxin Xue, Yujie Sun, Tobias Meckel, Ying-Hua Chen, Zhibin Hu, Zhanguo Li, Chenqi Xu, Haipeng Gong, and Wanli Liu. Impairment on the lateral mobility induced by structural changes underlies the functional deficiency of the lupusassociated polymorphism Fc γ RIIB-T232s. *J Exp Med*. 2016;14;213(12):2707-2727
 - 6. HU F, Mu R, Zhu J, Shao WW, Shi LJ, Philip L. Cohen, Qiu XY, Li ZG. Hypoxia and hypoxia-inducible factor-1 α provoke toll-like receptor signalling-induced inflammation in rheumatoid arthritis. *Ann Rheum Dis* 2014;73:928-936.
 - 7. Wang, T., X. Sun, J. Zhao, J. Zhang, H. Zhu, C. Li, N. Gao, Y. Jia, D. Xu, F. P. Huang, N. Li, L. Lu, and Z. G. Li. Regulatory T cells in rheumatoid arthritis showed increased plasticity toward Th17 but retained suppressive function in peripheral blood. *Ann Rheum Dis*. 2015;74 (6):1293-1301
 - 8. Du, Y., Y. Cui, X. Liu, F. Hu, Y. Yang, X. Wu, X. Ma, X. Zuo, Y. Sheng, J. Xu, P. Zhu, L. Sun, N. Hong, X. Zhang, J. Guo, and Z. Li. Contribution of functional LILRA3, but not nonfunctional LILRA3, to sex bias in susceptibility and severity of anti-citrullinated protein antibody-positive rheumatoid arthritis. *Arthritis Rheumatol*.2014; 66:822-830.
 - 9. Joel Kremer, Zhan-Guo Li, Stephen Hall, Roy Fleischmann, Mark Genovese, Emilio Martin-Mola, John D. Isaacs, David Gruben, Gene Wallenstein, Sriram Krishnaswami, Samuel H. Zwillich, Tamas Koncz, Richard Riese, John Bradley. Tofacitinib in Combination With Nonbiologic Disease-Modifying Antirheumatic Drugs in Patients With Active Rheumatoid Arthritis. *Ann Intern Med*. 2013;159:253-261
 - 10. Zhao J, Ma J, Deng Y, Kelly JA, Kim K, Bang SY, Lee HS, Li QZ, Wakeland EK, Qiu R, Liu M, Guo J, Li Z, Tan W, Rasmussen A, Lessard CJ, Sivils KL, Hahn BH, Grossman JM, Kamen DL, Gilkeson GS, Bae SC, Gaffney PM, Shen N, Tsao BP. A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. *Nat Genet*. 2017;49(3):433-437.
 - 11. Guo, C., F. Hu, H. Yi, Z. Feng, C. Li, L. Shi, Y. Li, H. Liu, X. Yu, H. Wang, J. Li, Z. Li, and X. Y. Wang. Myeloid-derived suppressor cells have a proinflammatory role in the

- pathogenesis of autoimmune arthritis. *Ann Rheum Dis.* 2016;75(1):278-85
- 12. Du, Y., Y. Su, J. He, Y. Yang, Y. Shi, Y. Cui, C. Luo, X. Wu, X. Liu, F. Hu, X. Ma, L. Zheng, J. Zhang, X. Zuo, Y. Sheng, L. Wu, X. Zhang, J. Guo, and Z. Li. Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjogren's syndrome. *Ann Rheum Dis.* 2015;74(11):2070-5.
 - 13. He J, Ding Y, Feng M, et al.. Characteristics of Sjögren's syndrome in rheumatoid arthritis. *Rheumatology (Oxford)*. 2013;52(6):1084-9
 - 14. Sun J, Li R, Guo J, Jia Y, Sun X, Liu Y, Li Y, Huang F, Lu L, Li Z. Superior molecularly altered influenza virus hemagglutinin peptide 308-317 inhibits collagen-induced arthritis by inducing CD4+ Treg cell expansion. *Arthritis Rheum.* 2012 Jul;64(7):2158-68.
 - 15. Xia M, Liu J, Liu S, Chen K, Lin H, Jiang M, Xu X, Xue Y, Liu W, Gu Y, Zhang X, Li Z, Yi L, Qian Y, Zhou C, Li R, Zhang X, Li Z, Cao X. Ash1l and lnc-Smad3 coordinate Smad3 locus accessibility to modulate iTreg polarization and T cell autoimmunity. *Nat Commun.* 2017 Jun 9;8:15818.